

DOP-B07S200 Delta HMI inside LCD Display

Model	DOP-B07S200
Brand	Original
Category	CMO
Display	7" Wide Screen TFT LCD, 65536 colors, 480 x 234 pixels
Backlight	CCFL, approximately 50,000 hours
Processor	32-bit RISC Micro-controller
Memory	16 MB SDRAM, 256 KB backup memory, 4 MB NOR Flash ROM
Communication Ports	3 COM ports: COM1 (RS-232), COM2 (RS-232/422/485), COM3 (RS-232/422/485)
Function Keys	4 user-defined function keys (F1-F4) and 4 system keys
Power Supply	DC +24V (-10% ~ +15%), 7.5 W
Real-Time Clock	Built-in perpetual calendar (RTC) with backup battery
Enclosure Rating	IP65 / NEMA4 (front panel)
Dimensions & Weight	215 x 161 x 50 mm, approx. 800g

Note:

Invshop recommends that you inquire with the original factory or its agents about the latest production status and technical information about DOP-B07S200. The product parameters displayed on Invshop are entered by Invshop engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!



<https://www.invshop.com>



<https://www.invshop.com>

