

P286IVN02.0 AUO 28.6-inch 1920*540 LCD display Quality service

| | |
|-----------------------|---------------------------------------|
| Model | P286IVN02.0 |
| Brand | AUO |
| Category | AUO |
| Diagonal Size | 28.6" |
| Resolution | 1920(RGB)x540, >3:1 |
| Active Area | 698.4(H)x196.425(V) mm |
| Luminance | 1000 cd/m ² (Typ.) |
| Viewing Angle | 89/89/89/89 (Typ.)(CR?10) |
| Interface Type | LVDS (2 ch, 8-bit), 51 pins Connector |
| Operating Temperature | -20 ~ 60 °C |
| Panel Type | a-Si TFT-LCD, LCM |
| Contrast Ratio | 4000:1 (Typ.) (TM) |
| Light Source | WLED, 70K hrs, With LED Driver |

Note:

Invshop recommends that you inquire with the original factory or its agents about the latest production status and technical information about P286IVN02.0. The product parameters displayed on Invshop are entered by Invshop engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

<https://www.invshop.com>



<https://www.invshop.com>

<https://www.invshop.com>



<https://www.invshop.com>



71.28P03.001
2023-07-20

00 - YF1



* 3J2D1UL7QVEM-ZMS5697 *

Manufactured 24/29
Model No: P2861VN02.0
MADE IN CHINA

UL US
E204356



RoHS



BL